


TOUGHBOOK



- Innovative modular design and user-removable xPAK's offer unparalleled customization
- Unprecedented all-day battery life
- MIL-STD-810H and IP53 certified magnesium alloy design with built-in handle
- Backwards compatibility with the previous generation of vehicle and desktop docks
- State of the art technology including infrared webcam with Al noise reduction microphones and privacy cover

AWARD WINNING MODULAR DESIGN AND ALL-DAY BATTERY LIFE

The Panasonic TOUGHBOOK [°]55 breaks new ground offering unrivaled flexibility in even the most demanding and unpredictable environments with its innovative modular expansion packs (xPAK's). I/O, optical drives, authentication readers, and even the barcode reader xPAK are all user-upgradeable. Backwards compatibility with the previous generation of docks protects customers' investments while saving time and resources. Built with state of the art technology, the TOUGHBOOK 55 offers the latest Intel [°]13th Gen CPU with up to 14 processors, up to 64GB of RAM, up to 3TB of storage, microphones with AI noise reduction, color-selectable backlit keyboard and 92db speakers.





For More Information: www.TransCOR-IT.com Rugged@TransCOR-IT.com 1-888-RUGGED-3

SPEC SHEET

TOUGHBOOK 55 Mk3

Panasonic CONNECT

TOUGHBOOK 55

SOFTWARE

- Windows11 Pro • Panasonic Utilities and Recovery Partition
- Waves MaxxAudio
- **CERTIFICATIONS & DURABILITY**
- MIL-STD-810H: 3' drop, shock, bench handling, Spill-resistant keyboard vibration, dust, sand, altitude, freeze/thaw, high/ • Magnesium alloy chassis with handle
- IP531
- ASTM D4169-16
- CPU
- Intel Core i5-1345U vPro 10-core processor - Up to 4.7GHz with Turbo Boost, 12MB cache

STORAGE & MEMORY

- User-upgradeable RAM (up to 2 DIMM's) 16-64GB total (DDR4-3200MHz) • Main SSD: 512GB, 1TB or 2TB quick-release
- OPAL NVMe with heater

DISPLAY & GRAPHICS

• Display	• Graphics
- 14.0" HD 1366 x 768	– Intel UHD Graphics (units with 1 DIMM)
— 14.0" FHD 1920 x 1080 capacitive touch (1000 nit)	– Intel Iris Xe Graphics (units with 2 DIMM)
IPS with direct bonding	 Supports up to 4 displays
• Anti-reflective (AR) and anti-glare (AR) screen	 Concealed Mode; Day/Night Mode
treatments on Touch model	

AUDIO

 Integrated dual-array mic w/Al noise reduction Waves MaxxAudio 	 Integrated 92db speakers (top-facing) Keyboard volume and mute controls
WEBCAM	• 2MP (1080p) w/privacy cover

- **KEYBOARD & INPUT**
- Touch model: Stylus pen, stylus holder and tether User-removable 82-key emissive keyboard - 4 programmable keys (A1-A4)
- Touch model: 4 modes (glove, touch, pen, pen/touch) • Backlit keyboard icons (Caps lock, Num Lock, Scroll - Color-selectable backlit with 4 adjustable levels
- Lock, Storage Drive, SD Card)

OPTICAL DRIVE

• Optional Blu-ray Drive (xPAK)

INTERFACE

- USB-C Thunderbolt 4, 40Gbps 3A (PD, DP)
- USB-A x2 (10Gbps 1.5A, 5Gbps 0.9A)
- Optional USB-C (5Gbps); Optional USB-A (5Gbps) Optional 2nd Ethernet 1Gbps RJ-45
- Optional FischerUSB (Core Series 5-pin)
- MicroSDXC UHS-I
- HDMI 4K

WIRELESS

- Optional 4G EM7511 (up to 600 Mbps)
- -4G (LTE, LTE-A)
- Multi carrier (AT&T, FirstNet, Verizon) - Satellite GPS & CBRS Band 48 Capable

- Enterprise ready driver packages including CAB files and one-click driver bundles
- CORE Asset Management

- low temperature, temperature shock, humidity) User-removable xPAK's, RAM, keyboard, battery and caged SSD (w/heater)
 - Baised bezel for LCD impact protection
 - · Replaceable screen protector
 - Intel Core 7-1370P vPro 14-core processor - Up to 5.2GHz with Turbo Boost, 24MB cache

 - Optional 2nd SSD: 512GB or 1TB guick-release OPAL NVMe with heater

- Infrared with Windows Hello support

• Electrostatic touchpad with multi touch

• Optional DVD Drive (xPAK)

Ethernet 1Gbps RJ-45

Audio In/Out 3.5mm

Bluetooth v5.3 (Class 1)

Airplane mode Fn key

• Optional Serial (True) D-sub 9-pin

• Dual SIM (Nano-SIM 4FF x1, eSIM x1)

Optional dedicated GPS (u-blox NEO-M8N)

Optional dual antenna pass-through

• Intel® Wi-Fi 6E AX211 (up to 2.4 Gbps)

Optional VGA

- - 4G EM7511 modem
 - Dedicated GPS (u-blox NEO-M8N)
 - Dual antenna pass-through
 - Main SSD (OPAL) - 512GB.... .FZ-VSDR5535W FZ-VSDR553TW – 1TB... - 2TB .FZ-VSDR553BW • Left Expansion Area xPAK's Memory Cards - 16GB DDR4... .FZ-BAZ2216 - 32GB DDR4 FZ-BAZ2232 Backlit Emissive Keyboard......FZ-VKB55107U Rear Expansion Area xPAK's - VGA + Serial + USB-A F7-VCN551W - VGA + Serial + LAN.. F7-VCN552W

 - FZ-VCN554Ŵ² - USB-C + USB-A.....

Please consult your reseller or Panasonic representative to learn more about the TOUGHBOOK 55 and the wide variety of accessories and services offered.

- Procedure IV for transit drop test and IEC 60529 Sections 13.4, 13.6.2, 14.2.5 and 14.3 for IP.
- 3
- 4
- Barcode Reader, Insertable Smart Card CAC Reader, DVD Drive, Blu-ray Drive and 2nd SSD Drive 5 in Left Expansion Area are mutually exclusive.
- 6 Power2Go and PowerDVD software not included.
- 7 are mutually exclusive
- 8 The module firmware and the device antenna system have obtained technical approval by commercial carriers in the US. It is customer's responsibility to assure that the module firmware and the device antenna system are compatible with the customer's Private LTE network using Band 48
- which the computer and battery are used. Battery operation and recharge times will vary based on many factors, including screen brightness, applications, features, power management, battery conditioning and other customer preferences. Battery test results from MobileMark 25 at 250 nit, connected to Wi-Fi and using the Office Productivity and Creativity scenarios. MobileMark 2014 battery life results is 18 hours (36 with optional long life batteries) tested at 150 nit, connected to Wi-Fi and using just the Office Productivity scenario.
- 10 2nd Battery, Fingerprint Reader, Contactless Smart Card Reader and Insertable Smart Card Reader in Right Expanasion Area are mutually exclusive

intel

iRIS_x

11 Requires software and activation to enable theft protection.

inte

CORÈ

12 Late availability



www.TransCOR-IT.com Rugged@TransCOR-IT.com

For More Information:

1-888-RUGGED-3

• Battery charging time: 3 hours (each battery) • TOUGHBOOK Smart Battery Technology • AC Adapter: AC 100V-240V worldwide power, auto sensing/switching

TOUGHBOOK

• Encrypted OPAL SSD's

• Right Expansion Area

- 2nd Battery.....

- Blu-ray Drive.....

– Insertable Smart Card

- 512GB 2nd SSD OPAL

- 1TB 2nd SSD OPAL

- DVD Drive.....

- · Optional locking screws for SSD and xPAK's Optional fingerprint reader xPAK's
- Secured-core PC (363 DPI)
- Active Directory (385 DPI)
- Optional insertable Smart Card reader xPAK's • Optional contactless Smart Card Reader xPAK
- 13.56MHz (ISO 14443 A/B, ISO 15693, 18092)

4.6 lbs. (HD model), 4.9 lbs. (Touch model)

• 3-year limited warranty, parts and labor

- Fingerprint (MSFT SC-PC) xP.ARZ-VFP551W

- Fingerprint (Active Dir) xPAKFZ-VFP552M - Contactless Smart Card xPAKFZ-VNF552 M^2

- Insertable Smart Card xP.AK...FZ-VSC551W

- Barcode Reader (N6703HD)....FZ-VBR552M²

....FZ-VZSU1HU

.FZ-VBD553W

FZ-VDM553W

F7-VSC552W

..FZ-VSD55153W

F7-VSD551T3W

DIMENSIONS & WEIGHT

- 10 hours (20 w/opt. 2nd battery)

• Hot swap with optional 2nd battery

SECURITY FEATURES

- 10.8V, 6500mAh typical (6300mAh min)

Persistencetechnology by Absolute in BIOS

• 10.7"(L) x 13.6"(W) x 1.3"(H)

POWER

• Li-lon battery:

Secured-core PC

NIST BIOS compliant

Kensington cable lock slot

• TPM v.2.0

WARRANTY

INTEGRATED OPTIONS

- VGA + Serial + Fischer USB...FZ-VCN553W

- 1 Base model tested by national independent third party lab following MIL-STD-810H Method 516.8
- 2 Keyboard is user-replaceable, but once removed, the old keyboard must be discarded.
- 1GB = 1,000,000,000 bytes. Total usable memory will be less depending upon actual system configuration.
- Units equipped with two DIMM (memory cards) come with Intel Iris Xe graphics instead of Intel UHD graphics.

- VGA+Serial+USB-A VGA+Serial+Eischer USB and VGA+Serial+LAN and USB-C+USB-A in Bear Expansion Area
- 9 Battery performance features such as charge time and life span can vary according to the conditions under

SPEC SHEET